## Amendment to Bill No. 2 – 2005

By: Christopher J. Merdon Legislative Day No. 4
Date: March 7, 2005

## Amendment No. 57

(This amendment changes the minimum structure and use setbacks for conditional use age-restricted adult multiplex buildings.)

- Substitute the attached pages for page 49 of the proposed Comprehensive Zoning
- 2 Amendments attached to Council Bill 2 2005.

3

4 FILENAME A57CB2-2005.doc

1		(a)	Apartments	40 feet
		. ,	EXCEPT IN R-SA-8 AND R-A-15	55 FEET
2 3 4 5				
4		(b) Ot	her Principal Structures	34 feet
5			cessory Structures	
6		` /	Ž	
7	(2)	Minin	num Structure and Use Setback from[[Perimeter of	
8	(-)		opment]]:	
9		Dever	opment]].	
10		(a)	From Public Street Right-of-way	10 feet
11		(a)	1 Tom 1 done succe right-of-way	40 1001
12		(b)	From RESIDENTIAL LOTS IN RC, RR, R-ED, R-20,	
13		(b)	R-12 or R-SC Districts:	
14			K-12 Of K-SC Districts.	
			() A ( ) [[ 1	100[[75]] ( 4
15			(i) Apartments [[and single-family attached]]	100[[/5]] feet
16			(ii) SINGLE FAMILY ATTACHED <b>AND</b>	<b>5.5</b> DDDD
17			MULTI-PLEX	
18			[[(ii)]] (III) Single -family detached and semi-detached	[[50]] 40 feet
19		(C)	[[(iii) Unless adjoining parcel is developed for]] FROM	
20			OPEN SPACE, multi-family or non-residential uses in	
21			RC, RR, R-ED, R-20, R-12 or R-SC	[[40]] 30 feet
22				
23		[[(c)]]	(D) From zoning districts other than RC, RR, R-ED,	
24			R-20, R-12 or R-SC	20 feet
25			•	
26	(3)	Minin	num structure setback from interior roadway or driveway	
27	(0)		its with garages	20 feet
28		101 011	110 1111 <b>6</b> 111 <b>6</b> 11	20100
29	(4)	Minin	num structure setback from lot lines for single-family	
30	(+)		ned OR MULTI-PLEX units:	
31		uctaci	ica OK WOLTH LEX units.	
32		(0)	Side	[[ <b>5</b> ]] 10 foot
		(a)		
33			Except zero lot line dwellings	0 feet
34			A minimum of [[15]] 10 feet must be provided between	
35			structures.	
36		<i>a</i> >	<b>.</b>	20.6
37		(b)	Rear	20 feet
38				
39	(5)		num distance between single-family detached and/or	
40		attach	ed dwellings:	
41				
42		(a)	For units oriented face-to-face	
43		(b)	For units oriented side-to-side	
44		(c)	For units oriented face-to-side or rear-to-side	20 feet
45		(d)	For units oriented rear-to-rear	40 feet
46		(e)	For units oriented face-to-rear	
47				
48	(6)	Minin	num distance between apartment buildings or between	
49	(0)		nent buildings and single-family dwellings:	
50		aparai	ion contained and onigic running arrennings.	
51		(a)	For units oriented face-to-face	30 feet
U.L		(u)	1 of annin offenior face-10-face	30 1001

1	(b)	For units oriented side-to-side	15 feet
2	(c)	For units oriented face-to-side or rear-to-side	30 feet
3	(d)	For units oriented rear-to-rear.	60 feet
4	(e)	For units oriented face-to-rear	100 feet
5	, ,		